



20
mil

Commercial Grade Wear Layer
Durability in the face of pet claws, high heels, and heavy traffic



100% Waterproof
Easy-to-clean, worry-free planks made for kitchens, bathrooms, and basements



HiFi Imaging®
Leading technology captures the authentic color, grain, and texture of real wood

50
YEAR

Built to Last
Backed by a 50 year residential warranty for long-term peace of mind

Oceanic Oak

#7902500500


Deep diving grays sail on a rugged grain smoothed by the sea




Like the thrill of catching that perfect wave, Longboard flooring liberates your designs with coast-inspired colors, worry-free durability, and expanded dimensions.

Grain	HiFi Imaging® with Light Wood Grain
Construction	Stone Composite (SPC)
Plank Length	71.1 inches
Plank Width	9.2 inches
Plank Thickness	8mm (includes 2mm IXPE attached pad)
Wear Layer	0.5mm (20mil)
Sqft/Box	26.62 sqft
Milling	Click-Lock Rapid Locking System
Install Method	Floating, Glue Down
Application	Residential, Commercial
Residential Warranty	50 years
Commercial Warranty	15 years
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant, VOC and Phthalate test results available upon request.
Radiant Heat Compatible	Yes up to 85°F, floating only
LEED Points	EQC4.3
Certification	FloorScore® Certified


Note: For the most up-to-date specification information, please visit www.CaliFloors.com




Quarter Round
#7902500511




Reducer
#7902500512



T-Molding
#7902500519



Threshold
#7902500518



Stair Nosing
#7902500515



CALI VINYL[®]

LONGBOARDS[™]

20
mil

Commercial Grade Wear Layer
Durability in the face of pet claws, high heels, and heavy traffic



100% Waterproof
Easy-to-clean, worry-free planks made for kitchens, bathrooms, and basements



HiFi Imaging[®]
Leading technology captures the authentic color, grain, and texture of real wood

50
YEAR

Built to Last
Backed by a 50 year residential warranty for long-term peace of mind

Seaboard Oak

#7902500900


Warm ash tones bring salten flavor
to this marine layer gray




Like the thrill of catching that perfect wave,
Longboard flooring liberates your designs with
coast-inspired colors, worry-free durability, and
expanded dimensions.

Grain	HiFi Imaging [®] with Light Wood Grain
Construction	Stone Composite (SPC)
Plank Length	71.1 inches
Plank Width	9.2 inches
Plank Thickness	8mm (includes 2mm IXPE attached pad)
Wear Layer	0.5mm (20mil)
Sqft/Box	26.62 sqft
Milling	Click-Lock Rapid Locking System
Install Method	Floating, Glue Down
Application	Residential, Commercial
Residential Warranty	50 years
Commercial Warranty	15 years
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant, VOC and Phthalate test results available upon request.
Radiant Heat Compatible	Yes up to 85°F, floating only
LEED Points	EQC4.3
Certification	FloorScore [®] Certified


Note: For the most up-to-date specification information, please visit www.CaliFloors.com




Quarter Round
#7902500911




Reducer
#7902500912



T-Molding
#7902500919



Threshold
#7902500918



Stair Nosing
#7902500915



20
mil

Commercial Grade Wear Layer
Durability in the face of pet claws, high heels, and heavy traffic



100% Waterproof
Easy-to-clean, worry-free planks made for kitchens, bathrooms, and basements



HiFi Imaging®
Leading technology captures the authentic color, grain, and texture of real wood

50
YEAR

Built to Last
Backed by a 50 year residential warranty for long-term peace of mind

North Shore Oak

#7902501000


Sandstone color gleams with a touch of texture and sun-kissed warmth




Like the thrill of catching that perfect wave, Longboard flooring liberates your designs with coast-inspired colors, worry-free durability, and expanded dimensions.

Grain	HiFi Imaging® with Light Wood Grain
Construction	Stone Composite (SPC)
Plank Length	71.1 inches
Plank Width	9.2 inches
Plank Thickness	8mm (includes 2mm IXPE attached pad)
Wear Layer	0.5mm (20mil)
Sqft/Box	26.62 sqft
Milling	Click-Lock Rapid Locking System
Install Method	Floating, Glue Down
Application	Residential, Commercial
Residential Warranty	50 years
Commercial Warranty	15 years
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant, VOC and Phthalate test results available upon request.
Radiant Heat Compatible	Yes up to 85°F, floating only
LEED Points	EQC4.3
Certification	FloorScore® Certified


Note: For the most up-to-date specification information, please visit www.CaliFloors.com




Quarter Round
#7902501011




Reducer
#7902501012



T-Molding
#7902501019



Threshold
#7902501018



Stair Nosing
#7902501015

CALI
VINYL[®]

LONGBOARDS[™]



20
mil

Commercial Grade Wear Layer
Durability in the face of pet claws, high heels, and heavy traffic



100% Waterproof
Easy-to-clean, worry-free planks made for kitchens, bathrooms, and basements



HiFi Imaging[®]
Leading technology captures the authentic color, grain, and texture of real wood

50
YEAR

Built to Last
Backed by a 50 year residential warranty for long-term peace of mind

Offshore Oak

#7902500400


Tawny planks flow upon a coastal current of smooth, meditative grain




Like the thrill of catching that perfect wave, Longboard flooring liberates your designs with coast-inspired colors, worry-free durability, and expanded dimensions.

Grain	HiFi Imaging [®] with Light Wood Grain
Construction	Stone Composite (SPC)
Plank Length	71.1 inches
Plank Width	9.2 inches
Plank Thickness	8mm (includes 2mm IXPE attached pad)
Wear Layer	0.5mm (20mil)
Sqft/Box	26.62 sqft
Milling	Click-Lock Rapid Locking System
Install Method	Floating, Glue Down
Application	Residential, Commercial
Residential Warranty	50 years
Commercial Warranty	15 years
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant, VOC and Phthalate test results available upon request.
Radiant Heat Compatible	Yes up to 85°F, floating only
LEED Points	EQC4.3
Certification	FloorScore [®] Certified


Note: For the most up-to-date specification information, please visit www.CaliFloors.com




Quarter Round
#7902500411




Reducer
#7902500412



T-Molding
#7902500419



Threshold
#7902500418



Stair Nosing
#7902500415



20
mil

Commercial Grade Wear Layer
Durability in the face of pet claws, high heels, and heavy traffic



100% Waterproof
Easy-to-clean, worry-free planks made for kitchens, bathrooms, and basements



HiFi Imaging®
Leading technology captures the authentic color, grain, and texture of real wood

50
YEAR

Built to Last
Backed by a 50 year residential warranty for long-term peace of mind

Osprey Oak

#7902500600


A feathered grain swoops and dives upon smokey nut-brown planks




Like the thrill of catching that perfect wave, Longboard flooring liberates your designs with coast-inspired colors, worry-free durability, and expanded dimensions.

Grain	HiFi Imaging® with Light Wood Grain
Construction	Stone Composite (SPC)
Plank Length	71.1 inches
Plank Width	9.2 inches
Plank Thickness	8mm (includes 2mm IXPE attached pad)
Wear Layer	0.5mm (20mil)
Sqft/Box	26.62 sqft
Milling	Click-Lock Rapid Locking System
Install Method	Floating, Glue Down
Application	Residential, Commercial
Residential Warranty	50 years
Commercial Warranty	15 years
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant, VOC and Phthalate test results available upon request.
Radiant Heat Compatible	Yes up to 85°F, floating only
LEED Points	EQC4.3
Certification	FloorScore® Certified


Note: For the most up-to-date specification information, please visit www.CaliFloors.com




Quarter Round
#7902500611




Reducer
#7902500612



T-Molding
#7902500619



Threshold
#7902500618



Stair Nosing
#7902500615



20
mil

Commercial Grade Wear Layer
Durability in the face of pet claws, high heels, and heavy traffic



100% Waterproof
Easy-to-clean, worry-free planks made for kitchens, bathrooms, and basements



HiFi Imaging®
Leading technology captures the authentic color, grain, and texture of real wood

50
YEAR

Built to Last
Backed by a 50 year residential warranty for long-term peace of mind

Point Break Pine

#7902500700


An array of cool driftwood hues swim amongst a weathered grain




Like the thrill of catching that perfect wave, Longboard flooring liberates your designs with coast-inspired colors, worry-free durability, and expanded dimensions.

Grain	HiFi Imaging® with Light Wood Grain
Construction	Stone Composite (SPC)
Plank Length	71.1 inches
Plank Width	9.2 inches
Plank Thickness	8mm (includes 2mm IXPE attached pad)
Wear Layer	0.5mm (20mil)
Sqft/Box	26.62 sqft
Milling	Click-Lock Rapid Locking System
Install Method	Floating, Glue Down
Application	Residential, Commercial
Residential Warranty	50 years
Commercial Warranty	15 years
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant, VOC and Phthalate test results available upon request.
Radiant Heat Compatible	Yes up to 85°F, floating only
LEED Points	EQC4.3
Certification	FloorScore® Certified


Note: For the most up-to-date specification information, please visit www.CaliFloors.com




Quarter Round
#7902500711




Reducer
#7902500712



T-Molding
#7902500719



Threshold
#7902500718



Stair Nosing
#7902500715



20
mil

Commercial Grade Wear Layer
Durability in the face of pet claws, high heels, and heavy traffic



100% Waterproof
Easy-to-clean, worry-free planks made for kitchens, bathrooms, and basements



HiFi Imaging®
Leading technology captures the authentic color, grain, and texture of real wood

50
YEAR

Built to Last
Backed by a 50 year residential warranty for long-term peace of mind

Windswell Hickory

#7902501100


Elongated grains soar on a slipstream
of cool, cloudy gull-gray




Like the thrill of catching that perfect wave,
Longboard flooring liberates your designs with
coast-inspired colors, worry-free durability, and
expanded dimensions.

Grain	HiFi Imaging® with Light Wood Grain
Construction	Stone Composite (SPC)
Plank Length	71.1 inches
Plank Width	9.2 inches
Plank Thickness	8mm (includes 2mm IXPE attached pad)
Wear Layer	0.5mm (20mil)
Sqft/Box	26.62 sqft
Milling	Click-Lock Rapid Locking System
Install Method	Floating, Glue Down
Application	Residential, Commercial
Residential Warranty	50 years
Commercial Warranty	15 years
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant, VOC and Phthalate test results available upon request.
Radiant Heat Compatible	Yes up to 85°F, floating only
LEED Points	EQC4.3
Certification	FloorScore® Certified


Note: For the most up-to-date specification information, please visit www.CaliFloors.com




Quarter Round
#7902501111




Reducer
#7902501112



T-Molding
#7902501119



Threshold
#7902501118



Stair Nosing
#7902501115



Whitewater Oak

#7902500200

Faint coral undertones brighten
a wash of light pearl gray



Like the thrill of catching that perfect wave,
Longboard flooring liberates your designs with
coast-inspired colors, worry-free durability, and
expanded dimensions.

20
mil

Commercial Grade Wear Layer
Durability in the face of pet claws, high
heels, and heavy traffic



100% Waterproof
Easy-to-clean, worry-free planks made for
kitchens, bathrooms, and basements




HiFi Imaging®
Leading technology captures the authentic
color, grain, and texture of real wood

50
YEAR


Built to Last
Backed by a 50 year residential warranty
for long-term peace of mind

Grain	HiFi Imaging® with Light Wood Grain
Construction	Stone Composite (SPC)
Plank Length	71.1 inches
Plank Width	9.2 inches
Plank Thickness	8mm (includes 2mm IXPE attached pad)
Wear Layer	0.5mm (20mil)
Sqft/Box	26.62 sqft
Milling	Click-Lock Rapid Locking System
Install Method	Floating, Glue Down
Application	Residential, Commercial
Residential Warranty	50 years
Commercial Warranty	15 years
Indoor Air Quality	Low Emitting VOC & Prop 65 Compliant, VOC and Phthalate test results available upon request.
Radiant Heat Compatible	Yes up to 85°F, floating only
LEED Points	EQC4.3
Certification	FloorScore® Certified


Note: For the most up-to-date specification information, please visit www.CaliFloors.com




Quarter Round
#7902500211




Reducer
#7902500212



T-Molding
#7902500219



Threshold
#7902500218



Stair Nosing
#7902500215